

SPC-Flakes



A Food for special medical purposes

SPC-Flakes

SPC-Flakes induces the expression of a naturally occurring protein in the body called Antisecretory Factor (AF). AF regulates the ion and fluid balance across the cell membrane and even has anti-inflammatory properties. The product can be used for the treatment of:

- Ménière disease
- Inflammatory bowel diseases:
 - Crohn's disease
 - Ulcerative Colitis
 - Diarrhea
- Mastitis

Instruction for use:

SPC-Flakes can be eaten with dairy products such as yoghurt or milk. SPC-Flakes can also be cooked as porridge either alone or with other grain products. SPC-Flakes can be mixed with flour and used for the baking of cakes and bread.

Dosage:

1 g per kg of bodyweight daily or as prescribed by the doctor. The dosage should be divided into 2-3 portions to be taken during the day.

When treating children, a higher dose can be necessary, while a lower dose can be necessary for the treatment of elderly.

Important:

SPC-Flakes must be used for app. 14 days before the desired effect can be expected.

Many therefore initiate treatment with Salovum at the same time that they start treatment with SPC-Flakes. After app. 14 days the treatment with Salovum can be stopped and treatment with SPC-Flakes is continued.

Storage:

Dry and cool

Pack size:

450 g

Nutritional information

| Nutritional Information | per 100 g |
|-------------------------|-----------|
| Protein | 12 g |
| Carbohydrates | 59 g |
| of which sugars | 3 g |
| Total Fat | 10 g |
| of which saturates | 1.5 g |
| Dietary fibers | 7.5 g |
| Sodium | 14 mg |
| Chloride | 86 mg |
| Potassium | 310 mg |
| Calcium | 88 mg |
| Phosphorous | 400 mg |
| Magnesium | 130 mg |
| Iron | 4.5 mg |
| Zink | 2.4 mg |
| Copper | 390 µg |

| Nutritional Information | per 100 g |
|-------------------------|-----------|
| Iodine | 0.5 µg |
| Selenium | 8 µg |
| Manganese | 3.1 mg |
| Chromium | 14 µg |
| Molybdenum | 130 µg |
| Fluorine | 0.08 mg |
| Vitamin K | 1.6 µg |
| Thiamin | 0.57 mg |
| Riboflavin | 1.3 mg |
| Vitamin B | 0.08 mg |
| Niacin | 2.7 mg |
| Folic Acid | 166 µg |
| Vitamin B | 0.28 mg |
| Pantotenic Acid | 1.7 mg |
| Biotin | 16 µg |
| Vitamin E | 0.74 mg |



Orpharma

Orpharma Pty Ltd
Level 1, 1 Queens
Road, Melbourne VIC
3004

T: 03 9863 7411

F: 03 9863 7267

E: sales@orpharma.com

www.orpharma.com

Produced in EU for POA
Pharma Scandinavia

